SAFETY DATA SHEET



1. Identification

Product identifier Helium Blend

Other means of identification

Product code WC042 **Synonyms** HELIUM-4 Recommended use Balloon time. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Worthington Industries Incorporated Manufacturer/Supplier

Address 200 Old Wilson Bridge Road

Columbus, OH 43085

United States

Email: SDSRequest@worthingtonindustries.com

877-324-4091 **Telephone Number:**

CHEMTREC - 24 HOURS:

Within US and Canada 800-424-9300 (CCN 24850)

Outside US and Canada +1 703-741-5970 (collect calls accepted)

2. Hazard(s) identification

Physical hazards Gases under pressure Compressed gas

Health hazards Not classified. **OSHA** defined hazards Simple asphyxiant

Label elements



Signal word Warning

Hazard statement Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid

suffocation.

Precautionary statement

Prevention Keep container tightly closed. Use only outdoors or in a well-ventilated area. Wear respiratory

protection.

Wash hands after handling. Response

Protect from sunlight. Store in a well-ventilated place. **Storage**

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	
Helium	7440-59-7	80-100
Air	132259-10-0	0-20

Composition comments Gas concentrations are in percent by volume.

Helium Blend SDS US

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if breathing difficulty persists.

Not likely, due to the form of the product. If frostbite occurs, immerse affected area in warm water Skin contact

(not exceeding 105°F/41°C). Keep immersed for 20 to 40 minutes. Get medical attention

immediately.

Not likely, due to the form of the product. If frostbite occurs, immediately flush eyes with plenty of Eve contact

warm water (not exceeding 105°F/41°C) for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention promptly if symptoms persist or occur after washing.

This material is a gas under normal atmospheric conditions and ingestion is unlikely. Ingestion

Most important

symptoms/effects, acute and

delayed

Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn"). Very high exposure can cause suffocation from lack of oxygen. Symptoms may include loss of

mobility/consciousness. Victim may not be aware of asphyxiation. Asphyxiation may bring about unconsciousness without warning and so rapidly that victim may be unable to protect themself.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Use fire-extinguishing media appropriate for surrounding materials.

Do not use water jet as an extinguisher, as this will spread the fire.

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out.

Use standard firefighting procedures and consider the hazards of other involved materials.

Heat may cause the containers to explode. Ruptured cylinders may rocket.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing gas. For personal protection, see Section 8 of the SDS. In the event of a leak evacuate all personnel until ventilation can restore oxygen concentrations to safe levels.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. For waste disposal, see Section 13 of the SDS. Isolate area until gas has dispersed.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Do not apply heat or direct sunlight. Do not breathe gas. Provide adequate ventilation. Oxygen concentration should not fall below 19.5 % at sea level (pO2 = 135 mmHg). Handle and open container with care. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Contents under pressure. Keep at temperature not exceeding 52 °C. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store in original tightly closed container. Protect containers from damage. Store away from incompatible materials (See Section 10).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines Appropriate engineering controls

General ventilation normally adequate.

No exposure standards allocated.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Helium Blend SDS US Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Skin protection

Other Wear protective clothing appropriate for the risk of exposure.

Respiratory protection In case of inadequate ventilation or risk of inhalation of gas, use suitable respiratory equipment.

Thermal hazards Contact with liquefied gas might cause frostbites, in some cases with tissue damage. Wear

appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Gas.

Form Compressed gas.

ColorColorless.OdorOdorless.Odor thresholdNot applicable.pHNot applicable.

Melting point/freezing point -457.87 °F (-272.15 °C) Helium Initial boiling point and boiling -452.02 °F (-268.9 °C) Helium

range

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Non-flammable gas

Upper/lower flammability or explosive limits

Flammability limit - lower Not applicable.

(%)

Flammability limit - upper

(%)

Not applicable.

Explosive limit - lower (%) Not applicable.

Explosive limit - upper (%) Not applicable.

Vapor pressure Not applicable.

 Vapor density
 0.000165 g/ml @ 21 °C. Helium

 Relative density
 0.14 g/cm3 @ 21 °C (Air =1)

Solubility(ies)

Solubility (water) Negligible in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicable.Decomposition temperatureNot available.ViscosityNot applicable.

Other information

Percent volatile 100 % v/v

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat and direct sunlight.

Incompatible materials None known.

Helium Blend SDS US

No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Suffocation (asphyxiant) hazard - if allowed to accumulate to concentrations that reduce oxygen Inhalation

below safe breathing levels.

Skin contact Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn"). Eve contact Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn").

Ingestion This material is a gas under normal atmospheric conditions and ingestion is unlikely.

Symptoms related to the physical, chemical and toxicological characteristics Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn"). Very

high exposure can cause suffocation from lack of oxygen. Victim may not be aware of

asphyxiation. Asphyxiation may bring about unconsciousness without warning and so rapidly that

victim may be unable to protect themself.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Not classified. Skin corrosion/irritation Not classified. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

Chronic effects Chronic effects are not expected when this product is used as intended.

12. Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment.

Persistence and degradability Not applicable. Bioaccumulative potential Not applicable.

Mobility in soil Not relevant, due to the form of the product.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose waste and residues in accordance with applicable federal, state, and local regulations.

Dispose of in accordance with local regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Helium Blend 4/7 924562 Version #: 03 Revision date: 02-Setptember-2022 Issue date: 04-February-2015

14. Transport information

DOT

UN number UN1956

UN proper shipping name Compressed gas, n.o.s. (Helium, Air)

Transport hazard class(es)

Class 2.2 Subsidiary risk Label(s) 2.2

Not applicable. **Packing group**

Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

306, 307 Packaging exceptions 302, 305 Packaging non bulk 314, 315 Packaging bulk

IATA

UN1956 **UN** number

Compressed gas, n.o.s. (Helium, Air) **UN proper shipping name**

Transport hazard class(es)

2.2 Class Subsidiary risk 2.2 Label(s)

Packing group Not applicable.

Environmental hazards No **ERG Code** 2L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1956

UN proper shipping name COMPRESSED GAS, N.O.S. (Helium, Air)

Not applicable.

Transport hazard class(es)

Class 2.2 Subsidiary risk Label(s) 2.2

Packing group Not applicable.

Environmental hazards

Marine pollutant No **EmS** F-C, S-V

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

Helium Blend 5/7

924562 Version #: 03 Revision date: 02-Setptember-2022 Issue date: 04-February-2015 SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug Administration (FDA) Total food additive Direct food additive GRAS food additive

US state regulations

US. Massachusetts RTK - Substance List

Helium (CAS 7440-59-7)

US. New Jersey Worker and Community Right-to-Know Act

Helium (CAS 7440-59-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Helium (CAS 7440-59-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-February-2015 **Revision date** 30-May-2016

Version # 02

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Health: 0 **HMIS®** ratings

Flammability: 0 Physical hazard: 3

Helium Blend

924562 Version #: 03 Revision date: 02-Setptember-2022 Issue date: 04-February-2015

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer

All information in this Safety Data Sheet is believed to be accurate and reliable. However, no guarantee or warranty of any kind is made with regard to the accuracy of information or the suitability of the recommendations contained herein. It is the user's responsibility to assess the safety and toxicity of this product under their own conditions of use and to comply with all

applicable laws and regulations.

Helium Blend SDS US